



## Gärtner's caustic lime

- guarantees a safe and fast increase in the pH value
- for the recovery liming of acidified soils
- promotes soil condition and crumb structure
- improves nutrient availability
- supports the composting process
- can be used throughout the year, but spreading is best in spring and autumn

### Required quantities:

- for preservation liming: 80 – 100 g/m<sup>2</sup> on sandy soil
- for preservation liming: 150 – 200 g/m<sup>2</sup> on loamy and clayey soil
- for recovery liming: up to 300 g/m<sup>2</sup>
- for composting: after the compost has been re-mixed, up to 200 g/m<sup>2</sup> onto a layer of 20 – 30 cm

### Application period:

Jan	Feb	March	April	May	June	July	August	Sept	Oct	Nov	Dec
-----	-----	-------	-------	-----	------	------	--------	------	-----	-----	-----

### Tips:

- After spreading, work gently into the soil.
- Repeat application the following year if the soil is extremely acidic.
- Determine the lime dose required by means of a soil analysis wherever possible.

### Dosage of Gärtner's caustic lime:

- 1 handful      approx. 70 g
- 1 tablespoon    approx. 22 g

You can find the latest information on fertilisers and gardens on our website.  
[www.greenpartners.de](http://www.greenpartners.de)

